

Proposed Explanation	Representative Cases
New	<p>1298 days after a surveillance exam that detected no adenomas a rectal cancer was detected</p> <p>1128 days after an exam that showed a single adenoma 4mm adenoma in the transverse colon a sigmoid colon cancer was detected</p>
Incomplete Resection	<p>1330 days after an exam that showed a 15mm TVA in the sigmoid colon a sigmoid cancer was detected</p> <p>374 days after an exam that showed 3 adenomas including a 10 mm adenoma in the sigmoid colon a sigmoid colon cancer was detected</p>
Missed	<p>378 days after an exam that showed 3 adenomas including an advanced adenoma in the sigmoid colon a colon cancer at the hepatic flexure was detected</p> <p>924 days after an exam that showed a single advanced rectal adenoma a cancer at the splenic flexure was detected</p>
Failed Biopsy Detection	<p>157 days after an exam that showed a 'large irritated lipomatous IC valve (biopsies: adenomatous polyp with chronic inflammation) a flat sessile polyp 'surrounding the IC valve' was identified. The biopsies from the second colonoscopy showed 'inflamed villous adenoma'. 27 days later a right hemicolectomy was performed and the specimen contained invasive cancer</p> <p>352 days after an exam where a '2cm polyps vs. fold' was identified in the ascending colon (biopsies showed adenoma) an ascending colon cancer was identified</p>